



# BRAND<sup>®</sup> INOX

DAL 16 MARZO

**+5%**

**TRONCHETTI IN ACCIAIO INOX**

*INOX STEEL TRUNKS  
EN 10241 - AISI 304L*

**BI 2026**



**INDUSTRIE<sup>®</sup>  
GIACOMELLI**

BRAND PRIMA GAMMA TIFAN CORAL YAVARA



# 2026



**INOX STEEL TRUNKS**  
*EN 10241 - AISI 304L*



**APP**  
iOS  
ANDROID



**BAR CODE EAN 13**



**QR CODE**  
DATA  
SHEET

**MADE IN ITALY**

---

## **PRICE LIST - BI 2026**



# BRAND<sup>®</sup> INOX

## **Tronchetti in acciaio inox**

Realizzati nel nostro stabilimento con l'uso esclusivo di tubi in acciaio inox, AISI 304L, certificati ed omologati. Lavorazione e filettatura eseguita con uso di macchine automatiche CNC.

## ***Inox steel trunks***

*Made in our factory with the exclusive use of inox steel tubes AISI 304L, certified and approved. Processing and threading worked with CNC automatic machines.*

## DESCRIZIONE TECNICA - TECHNICAL DESCRIPTION







**UNINDUSTRIA**  
UNIONE DEGLI INDUSTRIALI E DELLE IMPRESE  
ROMA • FROSINONE • RIETI • VITERBO



## CERTIFICAZIONI - CERTIFICATION

Certificato ISO 9001 • *Certified ISO 9001*  
Conformità EN 17050 • *Conformity EN 17050*  
Omologazione EN 10204 • *Approved to EN 10204*  
Garantito da copertura assicurativa R.C. Prodotti •  
*GTPL product insurance policy*



# BARILOTTI E TRONCHETTI IN ACCIAIO INOX 304 – UNI EN 10241

STAINLESS STEEL 304 BARRELS AND NIPPLES - UNI EN 10241

## CARATTERISTICHE PRODOTTO - PRODUCT FEATURES

### Barilotti e tronchetti in acciaio inox 304 – UNI EN 10241

#### Caratteristiche tecniche:

- **Norma di riferimento:** UNI EN 10241.
- **Materiale:** Acciaio inox AISI 304, resistente alla corrosione e agli agenti chimici.
- **Filettatura esterna:** Gas conica ISO 7-1 / EN 10226 (ex DIN 2999 – BSPT).
- **Tipologie:**
  - Barilotti: tubi filettati alle estremità, disponibili in varie lunghezze.
  - Tronchetti: segmenti di tubo filettati, utilizzati per collegamenti rapidi.
- **Pressione di esercizio:** fino a 25 bar,

variabile in funzione del diametro e delle condizioni di impianto.

- **Temperatura di esercizio:** da -20 °C a +300 °C, compatibile con l'impiego dell'acciaio inox AISI 304.
- **Finitura:** naturale inox, con elevata resistenza alla corrosione.
- **Certificazioni:** conformità alle normative europee per impianti idraulici e industriali.
- **Utilizzi principali:**
  - **Impianti idraulici civili:** distribuzione acqua potabile e sanitaria.
  - **Impianti industriali:** linee aria compressa, oli e fluidi aggressivi.

• **Impianti di riscaldamento:** circuiti chiusi con acqua calda.

• **Impianti alimentari:** idonei per ambienti igienici grazie alla resistenza dell'inox.

• **Impianti chimici:** compatibilità con fluidi corrosivi.

#### Vantaggi:

- Elevata resistenza alla corrosione.
- Ottima durata nel tempo.
- Facilità di montaggio e smontaggio.
- Disponibilità in diverse lunghezze e diametri.
- Standardizzazione secondo UNI EN 10241.

### Stainless steel 304 barrels and nipples – UNI EN 10241

#### Technical features:

- **Reference standard:** UNI EN 10241.
- **Material:** Stainless steel AISI 304, resistant to corrosion and chemical agents.
- **External thread:** Tapered gas thread ISO 7-1 / EN 10226 (formerly DIN 2999 – BSPT).
- **Types:**
  - Barrels: pipes threaded at both ends, available in various lengths.
  - Nipples: short threaded pipe segments used for quick connections.

• **Operating pressure:** up to 25 bar, depending on diameter and system conditions.

• **Operating temperature:** from -20 °C to +300 °C, compatible with stainless steel AISI 304.

• **Finish:** natural stainless steel, with high corrosion resistance.

• **Certifications:** compliance with European standards for hydraulic and industrial systems.

#### Main applications:

- **Civil hydraulic systems:** potable and sanitary water distribution.
- **Industrial plants:** compressed air, oils and aggressive fluids.
- **Heating systems:** closed hot-water circuits.

• **Food industry:** suitable for hygienic environments thanks to stainless steel resistance.

• **Chemical plants:** compatibility with corrosive fluids.

#### Advantages:

- High corrosion resistance.
- Excellent durability.
- Easy assembly and disassembly.
- Availability in different lengths and diameters.
- Standardization according to UNI EN 10241.



**BRAND**<sup>®</sup>  
INOX

**TYPE 650 X**
**TRONCHETTO INOX - 1 FILETTO**  
**INOX STEEL TRUNKS - 1 THREAD**


| CODE · 🖨    | SIZE · Ø  | THICKNESS · ↗ | BAG · 📦 | PREZZO SU RICHIESTA<br>PRICE ON REQUEST                                                                  |
|-------------|-----------|---------------|---------|----------------------------------------------------------------------------------------------------------|
| 1865000822  | 1/4X22mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865000825  | 1/4X25mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865000827  | 1/4X27mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865000830  | 1/4X30mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865000835  | 1/4X35mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865000840  | 1/4X40mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865000845  | 1/4X45mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865000850  | 1/4X50mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865000860  | 1/4X60mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865000870  | 1/4X70mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865000880  | 1/4X80mm  | 2,0 mm        | 50      | -                                                                                                        |
| 18650008100 | 1/4X100mm | 2,0 mm        | 30      | -                                                                                                        |
| 18650008150 | 1/4X150mm | 2,0 mm        | 20      | -                                                                                                        |
| 18650008200 | 1/4X200mm | 2,0 mm        | 10      | -                                                                                                        |
| 18650008250 | 1/4X250mm | 2,0 mm        | 10      | -                                                                                                        |
| 18650008300 | 1/4X300mm | 2,0 mm        | 10      | -                                                                                                        |
|             |           |               |         |                                                                                                          |
| 1865001022  | 3/8X22mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865001025  | 3/8X25mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865001027  | 3/8X27mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865001030  | 3/8X30mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865001035  | 3/8X35mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865001040  | 3/8X40mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865001045  | 3/8X45mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865001050  | 3/8X50mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865001060  | 3/8X60mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865001070  | 3/8X70mm  | 2,0 mm        | 50      | -                                                                                                        |
| 1865001080  | 3/8X80mm  | 2,0 mm        | 50      | -                                                                                                        |
| 18650010100 | 3/8X100mm | 2,0 mm        | 30      | -                                                                                                        |
| 18650010150 | 3/8X150mm | 2,0 mm        | 20      | -                                                                                                        |
| 18650010200 | 3/8X200mm | 2,0 mm        | 10      | -                                                                                                        |
| 18650010250 | 3/8X250mm | 2,0 mm        | 10      | -                                                                                                        |
| 18650010300 | 3/8X300mm | 2,0 mm        | 10      | -                                                                                                        |
|             |           |               |         |                                                                                                          |
| 1865001525  | 1/2X25mm  | 3,0 mm        | 50      | -                                                                                                        |
| 1865001527  | 1/2X27mm  | 3,0 mm        | 50      | -                                                                                                        |
| 1865001530  | 1/2X30mm  | 3,0 mm        | 50      | -                                                                                                        |
| 1865001535  | 1/2X35mm  | 3,0 mm        | 50      | -                                                                                                        |
| 1865001540  | 1/2X40mm  | 3,0 mm        | 50      | -                                                                                                        |
|             |           |               |         |                                                                                                          |
|             |           |               |         | Segue<br>Following  |

## TYPE 650 X

**TRONCHETTO INOX - 1 FILETTO**  
**INOX STEEL TRUNKS - 1 THREAD**

[illegible]



**TYPE 650 X**
**TRONCHETTO INOX - 1 FILETTO**  
 INOX STEEL TRUNKS - 1 THREAD


| CODE · 🖨    | SIZE · Ø    | THICKNESS · ➡⏏ | BAG · 📦 | PREZZO SU RICHIESTA<br>PRICE ON REQUEST |
|-------------|-------------|----------------|---------|-----------------------------------------|
| 1865003235  | 1"1/4X35mm  | 3,0 mm         | 30      | -                                       |
| 1865003240  | 1"1/4X40mm  | 3,0 mm         | 30      | -                                       |
| 1865003245  | 1"1/4X45mm  | 3,0 mm         | 30      | -                                       |
| 1865003250  | 1"1/4X50mm  | 3,0 mm         | 30      | -                                       |
| 1865003260  | 1"1/4X60mm  | 3,0 mm         | 30      | -                                       |
| 1865003270  | 1"1/4X70mm  | 3,0 mm         | 30      | -                                       |
| 1865003280  | 1"1/4X80mm  | 3,0 mm         | 30      | -                                       |
| 18650032100 | 1"1/4X100mm | 3,0 mm         | 15      | -                                       |
| 18650032150 | 1"1/4X150mm | 3,0 mm         | 10      | -                                       |
| 18650032200 | 1"1/4X200mm | 3,0 mm         | 5       | -                                       |
| 18650032250 | 1"1/4X250mm | 3,0 mm         | 5       | -                                       |
| 18650032300 | 1"1/4X300mm | 3,0 mm         | 5       | -                                       |
|             |             |                |         |                                         |
| 1865004035  | 1"1/2X35mm  | 3,0 mm         | 30      | -                                       |
| 1865004040  | 1"1/2X40mm  | 3,0 mm         | 30      | -                                       |
| 1865004045  | 1"1/2X45mm  | 3,0 mm         | 30      | -                                       |
| 1865004050  | 1"1/2X50mm  | 3,0 mm         | 30      | -                                       |
| 1865004060  | 1"1/2X60mm  | 3,0 mm         | 30      | -                                       |
| 1865004070  | 1"1/2X70mm  | 3,0 mm         | 30      | -                                       |
| 1865004080  | 1"1/2X80mm  | 3,0 mm         | 30      | -                                       |
| 18650040100 | 1"1/2X100mm | 3,0 mm         | 15      | -                                       |
| 18650040150 | 1"1/2X150mm | 3,0 mm         | 10      | -                                       |
| 18650040200 | 1"1/2X200mm | 3,0 mm         | 5       | -                                       |
| 18650040250 | 1"1/2X250mm | 3,0 mm         | 5       | -                                       |
| 18650040300 | 1"1/2X300mm | 3,0 mm         | 5       | -                                       |
|             |             |                |         |                                         |
| 1865005040  | 2"X40mm     | 3,0 mm         | 25      | -                                       |
| 1865005045  | 2"X45mm     | 3,0 mm         | 25      | -                                       |
| 1865005050  | 2"X50mm     | 3,0 mm         | 25      | -                                       |
| 1865005060  | 2"X60mm     | 3,0 mm         | 25      | -                                       |
| 1865005070  | 2"X70mm     | 3,0 mm         | 25      | -                                       |
| 1865005080  | 2"X80mm     | 3,0 mm         | 25      | -                                       |
| 18650050100 | 2"X100mm    | 3,0 mm         | 12      | -                                       |
| 18650050150 | 2"X150mm    | 3,0 mm         | 8       | -                                       |
| 18650050200 | 2"X200mm    | 3,0 mm         | 4       | -                                       |
| 18650050250 | 2"X250mm    | 3,0 mm         | 4       | -                                       |
| 18650050300 | 2"X300mm    | 3,0 mm         | 4       | -                                       |
|             |             |                |         |                                         |
|             |             |                |         |                                         |
|             |             |                |         |                                         |
|             |             |                |         |                                         |
|             |             |                |         | Segue<br>Following ➡                    |

**TYPE 650 X**
**TRONCHETTO INOX - 1 FILETTO**  
 INOX STEEL TRUNKS - 1 THREAD


| CODE · 🖨    | SIZE · Ø    | THICKNESS · $\delta$ | BAG · 📦 | PRECEDERE PREZZO<br>PRICE ON REQUEST |
|-------------|-------------|----------------------|---------|--------------------------------------|
| 1865006545  | 2"1/2X45mm  | 4,0 mm               | 9       | -                                    |
| 1865006550  | 2"1/2X50mm  | 4,0 mm               | 9       | -                                    |
| 1865006560  | 2"1/2X60mm  | 4,0 mm               | 9       | -                                    |
| 1865006570  | 2"1/2X70mm  | 4,0 mm               | 9       | -                                    |
| 1865006580  | 2"1/2X80mm  | 4,0 mm               | 9       | -                                    |
| 18650065100 | 2"1/2X100mm | 4,0 mm               | 9       | -                                    |
| 18650065150 | 2"1/2X150mm | 4,0 mm               | 6       | -                                    |
| 18650065200 | 2"1/2X200mm | 4,0 mm               | 3       | -                                    |
| 18650065250 | 2"1/2X250mm | 4,0 mm               | 3       | -                                    |
| 18650065300 | 2"1/2X300mm | 4,0 mm               | 3       | -                                    |
|             |             |                      |         |                                      |
| 1865008050  | 3"X50mm     | 4,0 mm               | 6       | -                                    |
| 1865008060  | 3"X60mm     | 4,0 mm               | 6       | -                                    |
| 1865008070  | 3"X70mm     | 4,0 mm               | 6       | -                                    |
| 1865008080  | 3"X80mm     | 4,0 mm               | 6       | -                                    |
| 18650080100 | 3"X100mm    | 4,0 mm               | 6       | -                                    |
| 18650080150 | 3"X150mm    | 4,0 mm               | 4       | -                                    |
| 18650080200 | 3"X200mm    | 4,0 mm               | 2       | -                                    |
| 18650080250 | 3"X250mm    | 4,0 mm               | 2       | -                                    |
| 18650080300 | 3"X300mm    | 4,0 mm               | 2       | -                                    |
|             |             |                      |         |                                      |
| 1865010080  | 4"X80mm     | 4,0 mm               | 4       | -                                    |
| 18650100100 | 4"X100mm    | 4,0 mm               | 4       | -                                    |
| 18650100150 | 4"X150mm    | 4,0 mm               | 4       | -                                    |
| 18650100200 | 4"X200mm    | 4,0 mm               | 2       | -                                    |
| 18650100250 | 4"X250mm    | 4,0 mm               | 2       | -                                    |
| 18650100300 | 4"X300mm    | 4,0 mm               | 2       | -                                    |
|             |             |                      |         |                                      |
| 1865012580  | 5"X80mm     | 4,0 mm               | 1       | -                                    |
| 18650125100 | 5"X100mm    | 4,0 mm               | 1       | -                                    |
| 18650125150 | 5"X150mm    | 4,0 mm               | 1       | -                                    |
| 18650125200 | 5"X200mm    | 4,0 mm               | 1       | -                                    |
| 18650125250 | 5"X250mm    | 4,0 mm               | 1       | -                                    |
| 18650125300 | 5"X300mm    | 4,0 mm               | 1       | -                                    |
|             |             |                      |         |                                      |
|             |             |                      |         |                                      |
|             |             |                      |         |                                      |
|             |             |                      |         |                                      |
|             |             |                      |         |                                      |
|             |             |                      |         |                                      |
|             |             |                      |         |                                      |
|             |             |                      |         |                                      |
|             |             |                      |         |                                      |
|             |             |                      |         |                                      |

**TYPE 530 X**
**BARILOTTO INOX - 2 FILETTI**  
**INOX STEEL EXTENSION SCREW**  
**2 THREADS**


| CODE · 🖨     | SIZE · Ø   | THICKNESS · ↗↖ | BAG · 📦            |   |
|--------------|------------|----------------|--------------------|---|
| 2853000830   | 1/4X30mm   | 2,0 mm         | 50                 | - |
| 2853000840   | 1/4X40mm   | 2,0 mm         | 50                 | - |
| 2853000850   | 1/4X50mm   | 2,0 mm         | 50                 | - |
| 2853000860   | 1/4X60mm   | 2,0 mm         | 50                 | - |
| 2853000870   | 1/4X70mm   | 2,0 mm         | 50                 | - |
| 2853000880   | 1/4X80mm   | 2,0 mm         | 50                 | - |
| 2853000890   | 1/4X90mm   | 2,0 mm         | 50                 | - |
| 28530008100  | 1/4X100mm  | 2,0 mm         | 30                 | - |
| 28530008120  | 1/4X120mm  | 2,0 mm         | 20                 | - |
| 28530008150  | 1/4X150mm  | 2,0 mm         | 20                 | - |
| 28530008200  | 1/4X200mm  | 2,0 mm         | 10                 | - |
| 28530008250  | 1/4X250mm  | 2,0 mm         | 10                 | - |
| 28530008300  | 1/4X300mm  | 2,0 mm         | 10                 | - |
| 28530008400  | 1/4X400mm  | 2,0 mm         | 10                 | - |
| 28530008500  | 1/4X500mm  | 2,0 mm         | 10                 | - |
| 285300081000 | 1/4X1000mm | 2,0 mm         | 6                  | - |
|              |            |                |                    |   |
| 2853001040   | 3/8X40mm   | 2,0 mm         | 50                 | - |
| 2853001050   | 3/8X50mm   | 2,0 mm         | 50                 | - |
| 2853001060   | 3/8X60mm   | 2,0 mm         | 50                 | - |
| 2853001070   | 3/8X70mm   | 2,0 mm         | 50                 | - |
| 2853001080   | 3/8X80mm   | 2,0 mm         | 50                 | - |
| 2853001090   | 3/8X90mm   | 2,0 mm         | 50                 | - |
| 28530010100  | 3/8X100mm  | 2,0 mm         | 30                 | - |
| 28530010120  | 3/8X120mm  | 2,0 mm         | 20                 | - |
| 28530010150  | 3/8X150mm  | 2,0 mm         | 20                 | - |
| 28530010200  | 3/8X200mm  | 2,0 mm         | 10                 | - |
| 28530010250  | 3/8X250mm  | 2,0 mm         | 10                 | - |
| 28530010300  | 3/8X300mm  | 2,0 mm         | 10                 | - |
| 28530010400  | 3/8X400mm  | 2,0 mm         | 10                 | - |
| 28530010500  | 3/8X500mm  | 2,0 mm         | 10                 | - |
| 285300101000 | 3/8X1000mm | 2,0 mm         | 6                  | - |
|              |            |                |                    |   |
| 2853001540   | 1/2X40mm   | 3,0 mm         | 50                 | - |
| 2853001550   | 1/2X50mm   | 3,0 mm         | 50                 | - |
| 2853001560   | 1/2X60mm   | 3,0 mm         | 50                 | - |
| 2853001570   | 1/2X70mm   | 3,0 mm         | 50                 | - |
| 2853001580   | 1/2X80mm   | 3,0 mm         | 50                 | - |
| 2853001590   | 1/2X90mm   | 3,0 mm         | 50                 | - |
|              |            |                |                    |   |
|              |            |                |                    |   |
|              |            |                | Segue<br>Following | ➡ |

 PREZZO SU RICHIESTA  
 PRICE ON REQUEST

## TYPE 530 X

**BARILOTTO INOX - 2 FILETTI**  
**INOX STEEL EXTENSION SCREW**  
**2 THREADS**



| CODE · 🖨     | SIZE · Ø   | THICKNESS · ↗↘ | BAG · 📦 |   |
|--------------|------------|----------------|---------|---|
| 28530015100  | 1/2X100mm  | 3,0 mm         | 30      | - |
| 28530015120  | 1/2X120mm  | 3,0 mm         | 20      | - |
| 28530015150  | 1/2X150mm  | 3,0 mm         | 20      | - |
| 28530015200  | 1/2X200mm  | 3,0 mm         | 10      | - |
| 28530015250  | 1/2X250mm  | 3,0 mm         | 10      | - |
| 28530015300  | 1/2X300mm  | 3,0 mm         | 10      | - |
| 28530015400  | 1/2X400mm  | 3,0 mm         | 10      | - |
| 28530015500  | 1/2X500mm  | 3,0 mm         | 10      | - |
| 285300151000 | 1/2X1000mm | 3,0 mm         | 6       | - |
|              |            |                |         |   |
| 2853002040   | 3/4X40mm   | 3,0 mm         | 50      | - |
| 2853002050   | 3/4X50mm   | 3,0 mm         | 50      | - |
| 2853002060   | 3/4X60mm   | 3,0 mm         | 50      | - |
| 2853002070   | 3/4X70mm   | 3,0 mm         | 50      | - |
| 2853002080   | 3/4X80mm   | 3,0 mm         | 50      | - |
| 2853002090   | 3/4X90mm   | 3,0 mm         | 50      | - |
| 28530020100  | 3/4X100mm  | 3,0 mm         | 24      | - |
| 28530020120  | 3/4X120mm  | 3,0 mm         | 16      | - |
| 28530020150  | 3/4X150mm  | 3,0 mm         | 16      | - |
| 28530020200  | 3/4X200mm  | 3,0 mm         | 8       | - |
| 28530020250  | 3/4X250mm  | 3,0 mm         | 8       | - |
| 28530020300  | 3/4X300mm  | 3,0 mm         | 8       | - |
| 28530020400  | 3/4X400mm  | 3,0 mm         | 8       | - |
| 28530020500  | 3/4X500mm  | 3,0 mm         | 8       | - |
| 285300201000 | 3/4X1000mm | 3,0 mm         | 6       | - |
|              |            |                |         |   |
| 2853002540   | 1"X40mm    | 3,0 mm         | 50      | - |
| 2853002550   | 1"X50mm    | 3,0 mm         | 50      | - |
| 2853002560   | 1"X60mm    | 3,0 mm         | 50      | - |
| 2853002570   | 1"X70mm    | 3,0 mm         | 50      | - |
| 2853002580   | 1"X80mm    | 3,0 mm         | 50      | - |
| 2853002590   | 1"X90mm    | 3,0 mm         | 50      | - |
| 28530025100  | 1"X100mm   | 3,0 mm         | 15      | - |
| 28530025120  | 1"X120mm   | 3,0 mm         | 10      | - |
| 28530025150  | 1"X150mm   | 3,0 mm         | 10      | - |
| 28530025200  | 1"X200mm   | 3,0 mm         | 5       | - |
| 28530025250  | 1"X250mm   | 3,0 mm         | 5       | - |
| 28530025300  | 1"X300mm   | 3,0 mm         | 5       | - |
| 28530025400  | 1"X400mm   | 3,0 mm         | 5       | - |
|              |            |                |         |   |
|              |            |                |         |   |



## TYPE 530 X

**BARILOTTO INOX - 2 FILETTI**  
INOX STEEL EXTENSION SCREW  
2 THREADS



| CODE ·  | SIZE · Ø     | THICKNESS ·  | BAG ·  |   |
|------------------------------------------------------------------------------------------|--------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---|
| 28530025500                                                                              | 1"X500mm     | 3,0 mm                                                                                        | 5                                                                                         | - |
| 285300251000                                                                             | 1"X1000mm    | 3,0 mm                                                                                        | 5                                                                                         | - |
|                                                                                          |              |                                                                                               |                                                                                           |   |
| 2853003240                                                                               | 1"1/4X40mm   | 3,0 mm                                                                                        | 30                                                                                        | - |
| 2853003250                                                                               | 1"1/4X50mm   | 3,0 mm                                                                                        | 30                                                                                        | - |
| 2853003260                                                                               | 1"1/4X60mm   | 3,0 mm                                                                                        | 30                                                                                        | - |
| 2853003270                                                                               | 1"1/4X70mm   | 3,0 mm                                                                                        | 30                                                                                        | - |
| 2853003280                                                                               | 1"1/4X80mm   | 3,0 mm                                                                                        | 30                                                                                        | - |
| 2853003290                                                                               | 1"1/4X90mm   | 3,0 mm                                                                                        | 30                                                                                        | - |
| 28530032100                                                                              | 1"1/4X100mm  | 3,0 mm                                                                                        | 15                                                                                        | - |
| 28530032120                                                                              | 1"1/4X120mm  | 3,0 mm                                                                                        | 10                                                                                        | - |
| 28530032150                                                                              | 1"1/4X150mm  | 3,0 mm                                                                                        | 10                                                                                        | - |
| 28530032200                                                                              | 1"1/4X200mm  | 3,0 mm                                                                                        | 5                                                                                         | - |
| 28530032250                                                                              | 1"1/4X250mm  | 3,0 mm                                                                                        | 5                                                                                         | - |
| 28530032300                                                                              | 1"1/4X300mm  | 3,0 mm                                                                                        | 5                                                                                         | - |
| 28530032400                                                                              | 1"1/4X400mm  | 3,0 mm                                                                                        | 5                                                                                         | - |
| 28530032500                                                                              | 1"1/4X500mm  | 3,0 mm                                                                                        | 5                                                                                         | - |
| 285300321000                                                                             | 1"1/4X1000mm | 3,0 mm                                                                                        | 5                                                                                         | - |
|                                                                                          |              |                                                                                               |                                                                                           |   |
| 2853004050                                                                               | 1"1/2X50mm   | 3,0 mm                                                                                        | 30                                                                                        | - |
| 2853004060                                                                               | 1"1/2X60mm   | 3,0 mm                                                                                        | 30                                                                                        | - |
| 2853004070                                                                               | 1"1/2X70mm   | 3,0 mm                                                                                        | 30                                                                                        | - |
| 2853004080                                                                               | 1"1/2X80mm   | 3,0 mm                                                                                        | 30                                                                                        | - |
| 2853004090                                                                               | 1"1/2X90mm   | 3,0 mm                                                                                        | 30                                                                                        | - |
| 28530040100                                                                              | 1"1/2X100mm  | 3,0 mm                                                                                        | 15                                                                                        | - |
| 28530040120                                                                              | 1"1/2X120mm  | 3,0 mm                                                                                        | 10                                                                                        | - |
| 28530040150                                                                              | 1"1/2X150mm  | 3,0 mm                                                                                        | 10                                                                                        | - |
| 28530040200                                                                              | 1"1/2X200mm  | 3,0 mm                                                                                        | 5                                                                                         | - |
| 28530040250                                                                              | 1"1/2X250mm  | 3,0 mm                                                                                        | 5                                                                                         | - |
| 28530040300                                                                              | 1"1/2X300mm  | 3,0 mm                                                                                        | 5                                                                                         | - |
| 28530040400                                                                              | 1"1/2X400mm  | 3,0 mm                                                                                        | 5                                                                                         | - |
| 28530040500                                                                              | 1"1/2X500mm  | 3,0 mm                                                                                        | 5                                                                                         | - |
| 285300401000                                                                             | 1"1/2X1000mm | 3,0 mm                                                                                        | 4                                                                                         | - |
|                                                                                          |              |                                                                                               |                                                                                           |   |
| 2853005050                                                                               | 2"X50mm      | 3,0 mm                                                                                        | 25                                                                                        | - |
| 2853005060                                                                               | 2"X60mm      | 3,0 mm                                                                                        | 25                                                                                        | - |
| 2853005070                                                                               | 2"X70mm      | 3,0 mm                                                                                        | 25                                                                                        | - |
| 2853005080                                                                               | 2"X80mm      | 3,0 mm                                                                                        | 25                                                                                        | - |
| 2853005090                                                                               | 2"X90mm      | 3,0 mm                                                                                        | 25                                                                                        | - |
|                                                                                          |              |                                                                                               |                                                                                           |   |
|                                                                                          |              |                                                                                               |                                                                                           |   |

**TYPE 530 X**

**BARILOTTO INOX - 2 FILETTI**  
**INOX STEEL EXTENSION SCREW**  
**2 THREADS**



| CODE · 🖨️    | SIZE · Ø     | THICKNESS · 📏 | BAG · 📦 | PRECOURTESIA<br>PRICE ON REQUEST |
|--------------|--------------|---------------|---------|----------------------------------|
| 28530050100  | 2"X100mm     | 3,0 mm        | 12      | -                                |
| 28530050120  | 2"X120mm     | 3,0 mm        | 8       | -                                |
| 28530050150  | 2"X150mm     | 3,0 mm        | 8       | -                                |
| 28530050200  | 2"X200mm     | 3,0 mm        | 4       | -                                |
| 28530050250  | 2"X250mm     | 3,0 mm        | 4       | -                                |
| 28530050300  | 2"X300mm     | 3,0 mm        | 4       | -                                |
| 28530050400  | 2"X400mm     | 3,0 mm        | 4       | -                                |
| 28530050500  | 2"X500mm     | 3,0 mm        | 4       | -                                |
| 285300501000 | 2"X1000mm    | 3,0 mm        | 2       | -                                |
|              |              |               |         |                                  |
| 28530065100  | 2"1/2X100mm  | 4,0 mm        | 9       | -                                |
| 28530065120  | 2"1/2X120mm  | 4,0 mm        | 6       | -                                |
| 28530065150  | 2"1/2X150mm  | 4,0 mm        | 6       | -                                |
| 28530065200  | 2"1/2X200mm  | 4,0 mm        | 3       | -                                |
| 28530065250  | 2"1/2X250mm  | 4,0 mm        | 3       | -                                |
| 28530065300  | 2"1/2X300mm  | 4,0 mm        | 3       | -                                |
| 28530065400  | 2"1/2X400mm  | 4,0 mm        | 3       | -                                |
| 28530065500  | 2"1/2X500mm  | 4,0 mm        | 3       | -                                |
| 285300651000 | 2"1/2X1000mm | 4,0 mm        | 2       | -                                |
|              |              |               |         |                                  |
| 28530080100  | 3"X100mm     | 4,0 mm        | 6       | -                                |
| 28530080120  | 3"X120mm     | 4,0 mm        | 4       | -                                |
| 28530080150  | 3"X150mm     | 4,0 mm        | 4       | -                                |
| 28530080200  | 3"X200mm     | 4,0 mm        | 2       | -                                |
| 28530080250  | 3"X250mm     | 4,0 mm        | 2       | -                                |
| 28530080300  | 3"X300mm     | 4,0 mm        | 2       | -                                |
| 28530080400  | 3"X400mm     | 4,0 mm        | 2       | -                                |
| 28530080500  | 3"X500mm     | 4,0 mm        | 2       | -                                |
| 285300801000 | 3"X1000mm    | 4,0 mm        | 2       | -                                |
|              |              |               |         |                                  |
| 28530100100  | 4"X100mm     | 4,0 mm        | 4       | -                                |
| 28530100120  | 4"X120mm     | 4,0 mm        | 4       | -                                |
| 28530100150  | 4"X150mm     | 4,0 mm        | 4       | -                                |
| 28530100200  | 4"X200mm     | 4,0 mm        | 2       | -                                |
| 28530100250  | 4"X250mm     | 4,0 mm        | 2       | -                                |
| 28530100300  | 4"X300mm     | 4,0 mm        | 2       | -                                |
| 28530100400  | 4"X400mm     | 4,0 mm        | 2       | -                                |
| 28530100500  | 4"X500mm     | 4,0 mm        | 2       | -                                |
| 285301001000 | 4"X1000mm    | 4,0 mm        | 2       | -                                |
|              |              |               |         |                                  |
|              |              |               |         |                                  |

**TYPE 530 X**

**BARILOTTO INOX - 2 FILETTI**  
 INOX STEEL EXTENSION SCREW  
 2 THREADS



| CODE ·  | SIZE · Ø | THICKNESS ·  | BOX ·  |   |
|------------------------------------------------------------------------------------------|----------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---|
| 28530125150                                                                              | 5"X150mm | 4,0 mm                                                                                          | 1                                                                                         | - |
| 28530125200                                                                              | 5"X200mm | 4,0 mm                                                                                          | 1                                                                                         | - |
| 28530125250                                                                              | 5"X250mm | 4,0 mm                                                                                          | 1                                                                                         | - |
| 28530125300                                                                              | 5"X300mm | 4,0 mm                                                                                          | 1                                                                                         | - |
|                                                                                          |          |                                                                                                 |                                                                                           |   |
|                                                                                          |          |                                                                                                 |                                                                                           |   |
|                                                                                          |          |                                                                                                 |                                                                                           |   |
|                                                                                          |          |                                                                                                 |                                                                                           |   |
|                                                                                          |          |                                                                                                 |                                                                                           |   |
|                                                                                          |          |                                                                                                 |                                                                                           |   |
|                                                                                          |          |                                                                                                 |                                                                                           |   |
|                                                                                          |          |                                                                                                 |                                                                                           |   |

PREZZO SU RICHIESTA  
 PRICE ON REQUEST

**TYPE 531 X**

**VITE SEMPLICE INOX**  
 INOX STEEL NIPPLE



| CODE ·  | SIZE · Ø   | THICKNESS ·  | BOX ·  |   |
|------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---|
| 28531008                                                                                 | 1/4x18mm   | 2,0 mm                                                                                          | 100                                                                                       | - |
| 28531010                                                                                 | 3/8x22mm   | 2,0 mm                                                                                          | 100                                                                                       | - |
| 28531015                                                                                 | 1/2x25mm   | 3,0 mm                                                                                          | 100                                                                                       | - |
| 28531020                                                                                 | 3/4x30mm   | 3,0 mm                                                                                          | 100                                                                                       | - |
| 28531025                                                                                 | 1"x36mm    | 3,0 mm                                                                                          | 100                                                                                       | - |
| 28531032                                                                                 | 1"1/4X38mm | 3,0 mm                                                                                          | 60                                                                                        | - |
| 28531040                                                                                 | 1"1/2X40mm | 3,0 mm                                                                                          | 40                                                                                        | - |
| 28531050                                                                                 | 2"X40mm    | 3,0 mm                                                                                          | 12                                                                                        | - |
| 28531065                                                                                 | 2"1/2X70mm | 4,0 mm                                                                                          | 9                                                                                         | - |
| 28531080                                                                                 | 3"X80mm    | 4,0 mm                                                                                          | 6                                                                                         | - |
| 28531100                                                                                 | 4"X90mm    | 4,0 mm                                                                                          | 4                                                                                         | - |

PREZZO SU RICHIESTA  
 PRICE ON REQUEST

**TYPE 532 X**

**SCORREVOLE INOX - 2 FILETTI**  
 INOX STEEL THREADED SLIDING  
 EXTENSION - 2 THREADS



| CODE ·  | SIZE · Ø  | THICKNESS ·  | BOX ·  |   |
|--------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---|
| 38532008100                                                                                | 1/4X100mm | 2,0 mm                                                                                            | 30                                                                                          | - |
| 38532008150                                                                                | 1/4X150mm | 2,0 mm                                                                                            | 20                                                                                          | - |
| 38532008200                                                                                | 1/4X200mm | 2,0 mm                                                                                            | 10                                                                                          | - |
|                                                                                            |           |                                                                                                   |                                                                                             |   |
| 38532010100                                                                                | 3/8X100mm | 2,0 mm                                                                                            | 30                                                                                          | - |
| 38532010150                                                                                | 3/8X150mm | 2,0 mm                                                                                            | 20                                                                                          | - |
| 38532010200                                                                                | 3/8X200mm | 2,0 mm                                                                                            | 10                                                                                          | - |
|                                                                                            |           |                                                                                                   |                                                                                             |   |
| 38532015100                                                                                | 1/2X100mm | 3,0 mm                                                                                            | 30                                                                                          | - |
|                                                                                            |           |                                                                                                   |                                                                                             |   |
|                                                                                            |           |                                                                                                   |                                                                                             |   |

PREZZO SU RICHIESTA  
 PRICE ON REQUEST

Segue  
 Following



## TYPE 532 X

**SCORREVOLE INOX - 2 FILETTI**  
**INOX STEEL THREADED SLIDING**  
**EXTENSION - 2 THREADS**

[illegible]

**TYPE AP**

**ATTACCO INOX PER POMPE  
SOMMERSE CON 1 ANELLO**  
 INOX STEEL ATTACK FOR SUBMERSIBLE  
 PUMPS WITH 1 RING



| CODE · 🖨 | SIZE · Ø    | THICKNESS · 📏 | BOX · 📦 |   |
|----------|-------------|---------------|---------|---|
| 28535025 | 1"x150mm    | 3,0 mm        | 10      | - |
| 28535032 | 1"1/4x150mm | 3,0 mm        | 8       | - |
| 28535040 | 1"1/2x150mm | 3,0 mm        | 6       |   |
| 28535050 | 2"x150mm    | 3,0 mm        | 4       | - |
|          |             |               |         | - |
|          |             |               |         | - |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |
|          |             |               |         |   |

PREZZO SU RICHIESTA  
 PRICE ON REQUEST

**TYPE AP2**

**ATTACCO INOX PER POMPE  
SOMMERSE CON 2 ANELLI**  
 INOX STEEL ATTACK FOR SUBMERSIBLE  
 PUMPS WITH 2 RINGS



| CODE · 🖨 | SIZE · Ø    | THICKNESS · 📏 | BOX · 📦 |  |
|----------|-------------|---------------|---------|--|
| 28575025 | 1"x150mm    | 3,0 mm        | 10      |  |
| 28575032 | 1"1/4x150mm | 3,0 mm        | 8       |  |
| 28575040 | 1"1/2x150mm | 3,0 mm        | 6       |  |
| 28575050 | 2"x150mm    | 3,0 mm        | 4       |  |
| 28575065 | 2"1/2x150mm | 4,0 mm        | 1       |  |
| 28575080 | 3"x150mm    | 4,0 mm        | 1       |  |
| 28575100 | 4"x150mm    | 4,0 mm        | 1       |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |
|          |             |               |         |  |





**NOTE**



**NOTE**

# ENTRA NEL NOSTRO MONDO!

## ENTER OUR WORLD!

In Esclusiva, solo per i clienti della nostra azienda è disponibile la sezione on-line dedicata al B2B dal quale sarà possibile connettersi direttamente dal vostro PC al nostro gestionale.

In totale autonomia potrete gestire in modo semplice e rapido, richieste di preventivi oppure effettuare direttamente un ordinativo dei prodotti avendo la possibilità di verificare gli sconti a Voi riservati, le giacenze in tempo reale, visualizzare le foto dei prodotti, la lista delle eventuali destinazioni diverse per la consegna della merce ed allegare documenti.

Avrete inoltre la possibilità di verificare lo storico di tutti i preventivi richiesti on-line, conferme d'ordine on-line e di tutte le Fatture emesse.

L'attivazione è semplice e veloce, entrando sul nostro sito internet cliccando sull'area dedicata per il B2B potrete richiedere l'attivazione delle credenziali personali per potervi accedere, potendo così avere con un semplice click sempre tutto sotto controllo. Inoltre una volta ottenute le tue credenziali di accesso potrete disporre gratuitamente anche dell'applicativo APP di Industrie Giacomelli disponibile per entrambe i dispositivi sia IOS che Android.

*Exclusively, the online section dedicated to B2B is available only for our company's customers, from which it will be possible to connect directly from your PC to our management system.*

*In total autonomy you will be able to manage requests for quotes quickly and easily or place an order directly for the products having the possibility to check the discounts reserved for you, the stocks in real time, view the photos of the products, the list of any different destinations for the delivery of the goods and attach documents.*

*You will also have the possibility to check the history of all the quotes requested online, order confirmations online and all invoices issued.*

*Activation is simple and fast, by entering our website by clicking on the dedicated area for B2B you can request the activation of your personal credentials to be able to access it, thus being able to always have everything under control with a simple click.*

*Furthermore, once you have obtained your access credentials, you will also be able to use the Industrie Giacomelli APP application for free, available for both IOS and Android devices.*





# SCARICA LA NOSTRA

## Utilizza la nostra professionalità!

In esclusiva per i nostri Clienti ora c'è l'App di Industrie Giacomelli, un mini gestionale a portata di mano utilizzabile con qualsiasi smartphone o tablet.

Scaricare la nostra APP è semplice e veloce, basta inquadrare con la fotocamera del proprio dispositivo il QR CODE presente che vi consentirà di aprire il Link per scaricare direttamente la nostra applicazione che integrata con il nostro gestionale vi permetterà di inviare direttamente l'ordine ricevendo nell'immediato la nostra conferma con disponibilità e data evasione.

Potrete inoltre verificare lo stato di avanzamento delle spedizioni fino al momento della consegna e lo storico degli ordinativi già effettuati.

Un supporto semplice e rapido che Vi permetterà di gestire il magazzino comodamente con smartphone o tablet ovunque vi troviate, può inoltre essere utilizzata da multi-apparati, anche contemporaneamente, da più membri dello staff sia essendo in magazzino su cantiere o in fase di installazione.

## Use our professionalism!

Exclusively for our customers there is now the Giacomelli Industries App, a handy mini management software that can be used with any smartphone or tablet.

Downloading our APP is simple and fast, just point the QR CODE present with the camera of your device which will allow you to open the Link to directly download our application which integrated with our management system will allow you to send the order directly by receiving it in the Our immediate confirmation with availability and processing date.

You can also check the progress of shipments up to the time of delivery and the history of orders already made.

A simple and quick support that will allow you to manage the warehouse comfortably with smartphone or tablet wherever you are, it can also be used by multi-devices, even simultaneously, by multiple staff members if you are in the warehouse on site or during installation.



# APP!



## SCAN QR CODE





**INDUSTRIE GIACOMELLI S.r.l.**

Via Stromboli n.10

Zona Industriale

B.go San Donato

04016 Sabaudia • Latina • Italy

P.iva/C.F.: 02944040597



industriegiacomelli@pec.it



www.industriegiacomelli.it



info@industriegiacomelli.it



+39 0773 850086 • 840022 • 50693



+39 0773 840247 • 50769